ENGR. LIBRARY

TS
201
A513t
v.93

Contents

Board of Directors, AFS—1984–85 vi
Proceedings Summary of 88th Annual Meeting vii
Chapter Officers Conference Program xiv
Reports xv
Minutes xxvii

The Assessment of Organic Binders for Resin Bonded Foundry Sands for Heavy Steel Castings (85-01)—*M. D. Eason F. G. Wilson* 1

Calculation of Yield: A System Model (85-02)—*N. K. Srinivasan* 11

Acoustic Emission During Solidification of Aluminum Alloys (85-04)—*T. S. Prasanna Kumar, O. Prabhakar* 13

Carcinogenic Potential of Foundry Pyrolysis Effluents (85-05)—*W. J. Moorman, W. G. Palmer, F. M. Garner, L. T. Mulligan* 23

Experimental Investigation of the Influence of Casting Parameters on the Formation and Distribution of Air Gap During the Solidification of Castings in Metallic Molds (85-06)—*J. Isaac, G. P. Reddy, G. K. Sharma* 29

Contribution to the Study of Some Technological and Applicational Properties of Compacted Graphite Cast Iron (85-07)—*I. Riposan, M. Chisamera, L. Sofroni* 35

Making Metal Composite by Pressure Casting (85-08)—*S. Nagata, A. Kitahara, S. Akiyama, H. Ueno* 49

Effect of Composition on Solidification of Compacted Graphite Iron (85-09)—*J. P. Hrusovsky, J. F. Wallace* 55

Cellular Ceramic Steel Foundry Filter Development (85-11)—*T. Stone, P. Day* 87

Steel Deoxidation Practice: Special Emphasis on Heavy Section Steel Castings (85-12)—*J. J. Moore, G. A. K. Bodor* 99

Three-Dimensional Distribution of Graphite Nodules in Spheroidal Graphite Cast Iron (85-13)—*T. Noguchi, K. Nagaoka* 115

Numerical Simulation of Solidifiction of Castings in Metallic Molds (85-14)—*J. Isaac, G. P. Reddy, G. K. Sharma* 123

Foundry Characteristics and Mechanical Properties of a High-Damping Propeller Alloy (85-15)—*M. Sahoo, J. R. Barry, G. Crawford* 133

Quality Control in Squeeze Casting of Aluminum (85-16)—*S. Rajagopal, W. H. Altergott* 145

Dimensional Behavior of Polystyrene Foam Shapes (85-17)—*S. A. Weiner, C. D. Piercecchi* 155

Argon Injection in Dofasco's Foundry Ladles (85-18)—*H. E. Follwell* 163

Use of Insulating Material to Extend Feeding Distances for Steel Castings (85-20)—*R. C. Willms* 167

Dross Removal from Ductile Iron with Ceramic Foam Filters (85-21)—*L. A. Aubrey, J. W. Brockmeyer, P. F. Wieser* 171

Cast Steel Quality Improvement by Filtration with Ceramic Foam Filters (85-22)—*L. A. Aubrey, J. W. Brockmeyer, P. F. Wieser, I. Dutta, A. Ilhan* 177

Standards for the Minimum Cost and Maximum Production Metal Cutting Models: Turning, Shaping, Drilling and Milling (85-23)—*R. C. Creese* 183

High Quality Steel Castings vs. Ladle Lining Practice (85-24)—*D. Kirkland, R. D. Blackburn, G. M. Goodrich* 187

The Foundry Production of High Quality Steel Castings with the MRP Bottom Blown Converter (85-25)—*S. Doehler, E. J. Wojkylak, Jr.* 193

Measuring the Quality of Aluminum Casting Alloys with Microprocessor-Aided Thermal Analysis (85-26)—*C. M. Yen, W. J. Evans, R. M. Nowicki, G. S. Cole* 199

And Some Seed Fell Upon Fertile Ground (85-28)—**Hoyt Lecture**—*R. E. Eppich* 205

A Kinetic Model for Carbon Pickup in the Cupola: A Step Beyond the Levi Equation (85-29)—*S. Katz, C. F. Landefeld* 209

Plant Studies of Continuous Desulfurization with $CaO-CAF_2-C$ (85-30)—*S. Katz, C. F. Landefeld* 215

Newly Developed Low Si Cr-Mo-V Cast Steel for Turbine Casting (85-31)—*Y. Iwabuchi, T. Sakurai, T. Takenouchi* 229

Green Sand Compaction by Air Impulse Molding: Theory and Practical Experience (85-32)—*H. Sindermann* 241

Multiple Regression Analysis of the Influence of Composition on the Corrosion and Mechanical Properties of Low Chromium Stainless Steels (85-34)—*J. B. Andrews, C. A. Andrews* 257

Practical Applications of the Free Radical Curing Cold Box Binder System (85-36)—*J. M. Fuqua, R. Smith* . . . 269

Analysis of Heat Transfer at Metal-Sand Mold Boundaries and Computer Simulation of Solidification of a Gray Iron Casting (85-37)—*X. C. Zeng, R. D.. Pehlke* . . 275

Statistical Pocess Control for Aluminum Jobbing Foundries (85-38)—*T. J. Hurley* 283

Effects of Modification Practice on Aluminum A-356 Alloys (85-39)—*T. J. Hurley, R. G. Atkinson* 291

Computer Applications for the Statistical Process Control of Foundry Sand Binders (85-40)—*G. A. Tolhurst* . . . 297

Effect of Sand Variables on Dimensional Accuracy of Al-4% Cu Alloy Castings Produced by V-Process (85-41)—*J. L. Gaindhar, C. K. Jain, K. Subbarathnamaiah* 303

Relation Between Electrical Resistivity and Microstructure of Heat Treated Al-Si-Mg Hypoeutectic Alloys (85-44)—*B. Closset, K. Pirie, J. E. Gruzleski* 307

Ultrasonic Inspection of Molten Aluminum (85-46)—*T. L. Mansfield, C. L. Bradshaw* 317

Temper Embrittlement and Toughness of High Purity Cast 2-1/4 Cr-1 Mo Steel (85-47)—*P. S. Khadkikar, P. F. Wieser* 323

Development of Ceramic Foam Materials for Filtering High Temperature Alloys (85-51)—*W. H. Sutton, J. C. Palmer, J. R. Morris* 339

Estimation of Permissible Flaw Sizes in Permanent Molded Ductile Iron Castings (85-53)—*S. Seetharamu, M. N. Srinivasan* 347

On-Line Parts Testing and Inspection Using Computer-Aided Laser (85-54)—*D. O'Shaughnessy, C. Taylor* 351

Use of Iron Oxide in Mold and Core Mixes For Ferrous Castings (85-55)—*R. W. Monroe* 355

Fracture of Ferritic Ductile Cast Iron (85-58)—*L. Eldoky, R. C. Voigt* 365

Demonstration of Control Technology for Torch Cutting (85-59)—*R. T. Hughes, S. Lepak, R. Scholz* 373

Investigation on the Effect of Heat on the Bonding Properties of Various Bentonites (85-60)—*F. Hofmann* 377

Thermal Power Losses to the Cupola Shell and Tuyeres (85-61)—*C. F. Landefeld* 385

An Electron Microscope Study of Carbide Formation in Austempered Ductile Irons (85-64)—*W. J. Dubensky, K. B. Rundman* 389

Foundry Waste Stabilization Laboratory Testing and Conceptual Design (85-65)—*K. Van Note, C. C. Miller, J. C. Lichter* 395

Thermal Properties of Molding Sands (85-66)—*K. Kubo, R. D. Pehlke* 405

Thermal Fatigue Resistance of Gray and Compacted Graphite Irons (85-67)—*Y. J. Park, . B. Gundlach, R. G. Thomas, J. F. Janowak* 415

The Ester Cured Phenolic No-Bake System (85-68)—*P. Frazier, M. Stevenson* 423

Reclamation of Sodium Silicate Bonded Sand (85-69)—*D. S. Leidel* 429

Variables Involved in the Production of Compacted Graphite Cast Iron Using Rare Earth-Containing Alloys (85-70)—*H. H. Cornell, C. R. Loper, Jr.* 435

Behavior of Shrinkage Porosity Defects and Limiting Solid Fraction of Feeding on Al-Si Alloys (85-71)—*H. Iwahori, K. Honekura, Y. Sugiyama, Y. Yamamoto, M. Nakamura* 443

Development of Austempered High Silicon Cast Steels (85-72)—*R. C. Voigt, R. Bendaly, J. F. Janowak, Y. J. Park* 453

Experimental Analysis of Wave Fronts in Standard Casting Sections and in Finned Castings (85-73)—*M. H. Kim, C. R. Loper, Jr., C. S. Kang* 463

Control of Underside Shrinkage in Zinc-Aluminum Foundry Alloys by the Addition of Trace Elements (85-74)—*M. Sahoo, L. V. Whiting, D. W. G. White* 475

Comparing the Functioning of Risers to Their Behavior Predicted by Computer Programs (85-75)—*R. W. Heine, C. P. Leedom* 481

Determination of Thermal Diffusivity of Al-13% Si Alloy by Monitoring Solidification and Cooling (85-76)—*T. X. Hou, R. D. Pehlke* 493

Inoculation of Gray Cast Irons with Carbonaceous Materials (85-77)—*S. L. Liu, C. R. Loper, Jr., S. Shirvani* 501

Comments Concerning the Interaction of Rare Earths with Subversive Elements in Cast Irons (85-78)—*U. H. Udomon, C. R. Loper, Jr.* 519

A Study of the Production of Compacted/Vermicular Graphite Cast Irons in Thin Sections (85-79)—*E. N. Pan, C. R. Loper, Jr.* 523

An Assessment of the Role of Rare Earth in the Eutectic Modification of Cast Aluminum-Silicon Alloys (85-80)—*B. J. Ye, C. R. Loper, Jr., D. Y. Lu, C. S. Kang* 533

The Use of Salt in Foundry Cores (85-82)—*C. R. Loper, Jr., G. V. Miskinis, J. F. Heiss* 545

Structure and Property Studies of Permanent Molded Gray, Compacted, and Ductile Irons (85-83)—*V. S. R. Murthy, S. Hariprasad, S. Seshan* 561

Friction and Ductility Behaviors of a High Strength Zinc Foundry Alloys (85-84)—*M. Lamberigts, G. Walmag, D. Coutsouradis, P. Delneuville, M. Meeus* 569

Automated Pouring of Magnesium-Treated Ductile Iron (85-85) *D. G. Bonacci, R. D. Rask, T. A. Schroeder, R. H. Helbling, C. R. Loper, Jr.* 579

The Effect of NaCl Addition on Solidification and Graphitization in White Cast Iron (85-86)—*P. L. Roy, A. K. Chakrabarti, P. Banerjee* 587

Gravity Casting of Zinc-Aluminum (ZA) Alloys: Dependence of Mechanical Properties on Soundness, Microstructure, and Inclusion Content (85-91)—*R. J. Barnhurst, E. Gervais* 591

Analysis of Injuries Which Occur in Foundries and the Appropriate Personal Protective Equipment (85-93)—*R. W. Plummer, T. J. Stobbe* 603

Spheroidization of Eutectic Silicon in Al-Si Alloys (85-95)—*P. Y. Zhu, Q. Y. Liu, T. X. Hou* 609

Energy Model Predictions of Gas Composition and Temperature Profiles in a Cold Blast Cupola (85-96)—*A. B. Draper, K. Nyamekye* 615

Solidification Studies of Spiking and Large-Small Nodule Formation in Ductile Cast Iron Produced by the In-the-Mold Proces (85-97)—*M. H. Mulazimoglu, V. M. Yang, N. X. Ding, J. F. Wallace, J. L. Mercer* 627

Effect of Treatment Alloys and Section Size on the Compacted Graphite Structures Produced by the In-the Mold Process (85-98)—*C. G. Chao, W. H. Lu, J. L. Mercer, J. F. Wallace* 651

Effect of Type and Amount of Treatment Alloy on Compacted Graphite Produced by the Flotret Process (85-99)—*J. Liu, N. X. Ding, J. L. Mercer, J. F. Wallace* 675

Evaluation of Green Sand Properties and Clay Behavior at 8-15% Bentonite Levels: Part II (85-100)—*T. S. Shih, R. W. Heine, R. A. Green* 689

Study of the Effects of Volume Fraction-Size and Shape of Silicon Particles on Mechanical Properties in Al-Si Alloys Using Finite Element Methods (85-101)—*A. Saigal, J. T. Berry* 699

On the Structure and Mechanical Properties of Austempered Ductile Iron (85-1030—*D. J. Moore, T. N. Rouns, K. B. Rundman* 705

A New Process for Ladle Desulfurization and Deoxidation of Steel (85-104)—*J. E. Klein, J. C. Feroe* 719

Reducing Variability of Sand Testing Tensile Measurements (85-105)—*G. D. Goodfellow* 723

Identification, Assessment, and Control of Fugitive Particulate Emissions in Foundries (85-106)—*D. D. Wallace, C. Cowherd, Jr., J. S. Kinsey* 727

Methods to Treat EP Toxic Foundry Wastes and Wastewaters (85-107)—*P. D. Turpin, T. R. Stolzenburg, W. A. Stephens, T. P. Kunes* 737

Solution Heat Treatment Effects in A357 (85-112)—*C. W. Meyers* 741

The Thermal Performance of Gating Sprues in Sand Casting Systems (85-113)—*P. V. Desai, K. V. Pagalthivarthi, J. T. Berry* 751

Lead Transfer from Copper-Base Alloys into Sands (85-114)—*B. Winter, T. R. Ostrom, P. K. Trojan, R. A. Flinn* 757

Retained Austenite Measurements in High Chromium White Iron (85-117)—*D. K. Subramanyam* 763

Surface Treatment and Corrosion Resistance of Cast Aluminum Components (85-10)—*M. Hallenstvet* 769

The Importance of Eliminating Furnace Slags and Its Impact on Ladle Metallurgy (85-121)—*J. K. Cotchen* 779

An Advanced Real Time Radiography System for Industrial Applications (85-122)—*F. Schlieper* 787

Finite Element Formulations for Estimating Feeding Efficiency Factors (85-123)—*T. S. Prasanna Kumar, S. D. Pathak, O. Prabhakar* 789

The Influence of Manganese and Silicon on the Microstructure and Tensile Properties of Austempered Ductile Iron (85-133)—*M. Gagne* 801

The Influence of Foundry Variables on Nodule Count in Ductile Iron (85-134)—*J. F. Wallace, PixiDu, Hau-QinSu, R. J. Warrick, L. R. Jenkins* 813

Influence of the Chemical Analysis of Alloys on the Nodule Count of Ductile Iron (85-135)—*D. M. Stefanescu, R. J. Warrick, L. R. Jenkins, G. Chen, F. Martinez* 835

Evaluation of Flame Retarded (FR) Fabrics and Protective Clothing for Foundry Workers (85-136)—*V. Mischutin, G. Fleming, D. Brown* 849

Elevated Temperature Brittleness of Ferritic Ductile Iron (85-137)—*R. N. Wright, T. R. Farrell* 853

The Filtration of Steel Castings with Ceramic Foam Filters (85-138)—*J. M. Stamper* 867

Tellurium Core Wash and Its Use in Solving Internal Shrinkage Defects (85-139)—*S. A. Vandenbos* 871

Factors Affecting Austenite Measurements White Cast Irons (85-140)—*P. A. Morton, R. B. Gundlach* 879

Outlook for the Aluminum Castings Market (85-144)—*L. T. O'Carroll* 885

Evaluation of Molten Metal Quality for Aluminum Alloys (85-151)—*S. A. Levy* 889

Precision Foundry Tooling Utilizing CAD/CAM and the HMP Process (85-152)—*G. A. Anderson, T. J. Crowley* 85

Lost Foam Process Update (85-153)—*M. Patz* 901

Tooling for Lost Wax Investment Castings (85-155)—*E. Hamilton* 903

Grain Refining of Hypoeutectic Al-Si Alloys (85-172)—*G. K. Sigworth, M. M. Guzowski* 907

The Aluminum Association Cast Alloy Test Program: Interim Reports (85-175)—*E. W. Miguelucci* 913

Thermal Effects During the Solidification of Cast Irons (85-178)—*D. Hui, Y. Jingxiang, K. G. Davis* 917

Aluminum Scrap Recycling and Its Impact on the Metal Castings Industry (85-179)—*E. L. Rooy* 935

The Inoculation of Permanent Mold Cast Iron (85-180)—*K. G. Davis, J. G. Magny, D. Hui* 939

Influence of SNIF Treatment on Characteristics of Aluminum Foundry Alloys (85-181)—*D. E. Groteke* 953

Improved Machinability of High Strength Gray Iron (85-182)—*J. F. Janowak, R. B. Gundlach* 961

Author Index 969

Subject Index 977

Author Index

A

Akiyama, S.; Nagata, S.; Kitahara, A.; Ueno, H.
IMaking Metal Composite by Pressure Casting 49
Altergott, W. H.; Rajagopal, S.
Quality Control in Squeeze Casting of Aluminum 145
Anderson, G.; Crowley, T. J.
Precision Foundry Tooling Utilizing CAD/CAM and the HMP Process 895
Andrews, C. A.; Andrews, R. N.; Andrews, J. B.
Removal of Selected Tramp Elements from Gray Iron Using Polyvinylchloride as a Chlorine Source 257
Andrews, J. B.; Wiggins, C. J.
Multiple Regression Analysis of the Influence of Composition on the Corrosion and Mechanical Properties of Low Chromium Stainless Steels 247
Andrews, J. B.; Andrews, R. N.; Andrews, C. A.
Removal of Selected Tramp Elements from Gray Iron Using Polyvinylchloride as a Chlorine Source 257
Andrews, R. N.; Andrews, J. B.; Andrews, C. A.
Removal of Selected Tramp Elements from Gray Iron Using Polyvinylchloride as a Chlorine Source 257
Atkinson, R. G.; Hurley, T. J.
Effects of Modification Practice on Aluminum A-356 Alloys 291
Aubrey, L. A.; Brockmeyer, J. W.; Wieser, P. F.
Dross Removal from Ductile Iron with Ceramic Foam Filters 171
Aubrey, L. A.; Brockmeyer, J. W.; Wieser, P. F.; Dutta, I.; Ilhan, A.
Cast Steel Quality Improvement by Filtration with Ceramic Foam Filters 177

B

Banerjee, P.; Roy, P. L.; Chakrabarti, A. K.
The Effect of NaCl Addition on Solidification and Graphitization in White Cast Iron 587
Barnhurst, R. J.; Gervais, E.
Gravity Casting of Zinc-Aluminum (ZA) Alloys: Dependence of Mechanical Properties on Soundness, Microstructure, and Inclusion Content 591
Barry, J. R.; Sahoo, M.; Crawford, G.
Foundry Characteristics and Mechanical Properties of a High-Damping Propeller Alloy 133
Bendaly, M. R.; Voigt, R. C.; Janowak, J. F.; Park, Y. J.
Development of Austempered High Silicon Cast Steels 453
Berry, J. T.; Saigal, A.
Study of the Effects of Volume Fraction-Size and Shape of Silicon Particles on Mechanical Properties in Al-Si Alloys Using Finite Element Method 699
Berry, J. T.; Desai, P.; V.; Pagalthivarthi, K. V.
The Thermal Performance of Gating Sprues in Sand Casting Systems 751
Blackburn, R. D.; Kirkland, D.; Goodrich, G.M.
High Quality Steel Castings vs. Ladle Lining Practice 187
Bodor, G. A. K.; Moore, J. J.
Steel Deoxidation Practice: Special Emphasis on Heavy Section Steel Castings 99
Bonacci, D. G.; Rask, R. D.; Schroeder, T. A.; Helbling, R. H.; Loper, Jr., C. R.
Automated Pouring of Magnesium-Treated Ductile Iron 579
Bradshaw, C. L.; Mansfield, T. L.
Ultrasonic Inspection of Molten Aluminum 317
Brockmeyer, J. W.; Aubrey, L. A.; Wieser, P. F.
Dross Removal from Ductile Iron with Ceramic Foam Filters 171
Brockmeyer, J. W.; Aubrey, L. A.; Wieser, P. F.; Dutta, I.; Ilhan, A.
Cast Steel Quality Improvement by Filtration with Ceramic Foam Filters 177
Brown, D.; Mischutin, V.; Fleming, G.
Evaluation of Flame Retarded (FR) Fabrics and Protective Clothing for Foundry Workers 849

C

Chakrabarti, A. K.; Roy, P. L.; Banerjee, P.
The Effect of NaCl Addition on Solidification and Graphitization in White Cast Iron 587
Chao, C. G.; Lu, W. H.; Mercer, J. L.; Wallace, J. F.
Effect of Treatment Alloys and Section Size on the Compacted Graphite Structures Produced by the In-the-Mold Process 651
Chen, G.; Stefanescu, D. M.; Warrick, R. J.; Jenkins, L. R.; Martinez, F.
Influence of the Chemical Analysis of Alloys on the Nodule Count of Ductile Iron 835
Chisamera, M.; Riposan, I.; Sofroni, L.
Contribution to the Study of Some Technological and Applicational Properties of Compacted Graphite Cast Iron 35
Closset, B.; Pirie, K.; Gruzleski, J. E.
Relation Between Electrical Resistivity and Microstructure of Heat Treated Al-Si-Mg Hypoeutectic Alloys 307
Cole, G. S.; Yen, C. M.; Evans, W. J.; Nowicki, R. M.
Measuring the Quality of Aluyminum Casting Alloys with Microprocessor-Aided Thermal Analysis 199
Cornell, H. H.; Loper, Jr., C. R.
Variables Involved in the Production of Compacted Graphite Cast Iron Using Rare Earth-Containing Alloys 435
Cotchen, J. K.
The Importance of Eliminating Furnace Slags and Its Impact on Ladle Metallurgy 779
Coutsouradis, D.; Lamberigts, M.; Walmag, G.; Delneuville, P.; Meeus, M.
Friction and Ductility Behaviors of a High Strength Zinc Foundry Alloy 569
Cowherd, Jr., C.; Wallace, D. D.; Kinsey, J. S.
Identification, Assessment, and Control of Fugitive Particulate Emissions in Foundries 727
Crawford, G.; Sahoo, M.; Barry, J. R.
Foundry Characteristics and Mechanical Properties of a High-Damping Propeller Alloy 133
Creese, R. C.
Standards for the Minimum Cost and Maximum Production Metal Cutting Models: Turning, Shaping, Drilling and Milling 183
Crowley, T. J.; Anderson, G.
Precision Foundrey Tooling Utilizing CAD/CAM and the HMP Process 895

D

Davis, K. G.; Hui, D.; Jingxiang, Y.
Thermal Effects During the Solidification of Cast Iron 917
Davis, K. G.; Magny, J. G.; Hui, D.
The Inoculation of Permanent Mold Cast Iron 939
Day, P.; Stone, T.
Cellular Ceramic Steel Foundry Filter Development 87
Delneuville, P.; Lamberigts, M.; Walmag, G.; Coutsouradis, D.; Meeus, M.
Friction and Ductility Behaviors of a High Strength Zinc Foundry Alloy 569
Desai, P. V.; Pagalthivarthi, K. V.; Berry, J. T.
The Thermal Performance of Gating Sprues in Sand Gating Systems 751
Ding, N. X.; Mulazimoglu, M. H.; Yang, Y. M.; Wallace, J. F.; Mercer, J. L.
Solidification Studies of Spiking and Large-Small Nodule Formation in Ductile Cast Iron produced by the In-the-Mold Process 627
Dodd, J.; Morton, P. A.; Gundlach, R. B.
Factors Affecting Austenite Measurements in White Cast Irons 879
Doehler, S.; Wojkylak, Jr., E. J.
The Foundry Production of High Quality Steel Castings with the MRP Bottom Blown Converter 193
Draper, A. B.; Nyamekye, K.
Energy Model Predictions of Gas Composition and Temperature Profiles in a Cold Blast Cupola 615
Du, P.; Wallace, J. F.; Su, H-Q; Warrick R. J.; Jenkins, L. R.
The Influence of Foundry Variables on Nodule Count in Ductile Iron 813
Dubensky, W. J.; Rundman, K. B.
An Electron Microscope Study of Carbide Formation in Austempered Ductile Iron 389
Dutta, I.; Aubrey, L. A.; Brockmeyer, J. W.; Wieser, P. F.; Ilhan, A.
Cast Steel Quality Improvement by Filtration with Ceramic Foam Filters 177

E

Eason, M. D.; Wilson, F. G.
The Assessment of Organic Binders for Resin Bonded Foundry Sands for Heavy Steel Castings 1
Eldoky, L.; Voigt, R. C.
Fracture of Ferritic Ductile Cast Iron 365
Eppich, R. E.
And Some Seed Fell Upon Fertile Ground 205
Evans, W. J.; Yen, C. M.; Nowicki, R. M.; Cole, G. S.
Measuring the Quality of Aluminum Casting Alloys with Microprocessor-Aided Thermal Analysis 199

F

Farrell, T. R.; Wright, R. N.
Elevated Temperature Brittleness of Ferritic Ductile Iron 853
Feroe, J. C.; Klein, J. E.
A New Process for Ladle Desulfurization and Deoxidation of Steel 719
Fleming, G.; Mischutin, V.; Brown, D.
Evaluation of Flame Retarded (FR) Fabrics and Protective Clothing for Foundry Workers 849
Flinn, R. A.; Winter, B.; Ostrom, T. R.; Trojan, P. K.
Lead Transfer from Copper-Base Alloys into Sands 757
Follwell, H. E.
Argon Injection in Dofasco's Foundry Ladles 163
Frazier, P.; Stevenson, M.
The Ester Cured Phenolic No-Bake System 423
Fuqua, J. M.; Smith, R.
Practical Applications of the Free Radical Curing Cold Box Binder System 269

G

Gagne, M.
The Influence of Manganese and Silicon on the Microstructure and Tensile Properties of Austempered Ductile Iron 801
Gaindhar, J. L.; Jain, C. K.; Subbarathnamaiah, K.
Effect of Sand Variables on Dimensional Accuracy of Al-4% Cu Alloy Castings Produced by V-Process 303
Garner, F. M.; Moorman, W. J.; Palmer, W G.; Mulligan, L. T.
Carcinogenic Potential of Foundry Pyrolysis Effluents 23
Gervais, E.; Barnhurst, R. J.
Gravity Casting of Zinc-Aluminum (ZA) Alloys: Dependence of Mechanical Properties on Soundness, Microstructure, and Inclusion Content 591
Goodfellow, G. D.
Reducing Variability of Sand Testing Tensile Measurement 723
Goodrich, G. M.; Kirkland, D.; Blackburn, R. D.
High Quality Steel Castings vs. Ladle Lining Practice 187
Green, R. A.; Shih, T. S.; Heine, R. W.
Evaluation of Green Sand Properties and Clay Behavior at 8-15% Bentonite Levels: Part II 689
Groteke, D. E.
Influence of SNIF Treatment on Characteristic of Aluminum Foundry Alloys 953
Gruzleski, J. E.; Closset, B.; Pirie, K.
Relation Between Electrical Resistivity and Microstructure of Heat Treated Al-Si-Mg Hypoeutectic Alloys 307
Gundlach, R. B.; Janowak, J. F.
Improved Machinability of High Strength Gray Iron 961
Gundlach, R. B.; Morton, P. A.; Dodd, J.
Factors Affecting Austenite Measurements White Cast Irons 879
Gundlach, R. B.; Park. Y. J.; Thomas R. G.; Janowak, J. F.
Thermal Fatigue Resistance of Gray and Compacted Graphite Irons 415
Guzowski, M. M.; Sigworth, G. K.
Grain Refining of Hypoeutectic Al-Si Alloys 907

H

Hallenstvet, M.
Surface Treatment and Corrosion Resistance Resistance of Cast Aluminum Components 769
Hamilton, E.
Tooling for Lost Wax Investment Castings 903
Hariprasad, S.; Murthy, V. S. R.; Seshan, S.
Structure and Property Studies of Permanent Molded Gray, Compacted, and Ductile Irons 561
Heine, R. W.; Shih, T. S.; Green, R. A.
Evaluation of Green Sand Properties and Clay Behavior at 8-15% Bentonite Levels: Part II 689
Heine, R. W.; Leedom, C. P.
Comparing the Functioning of Risers To Their Behavior Predicted by Computer Programs 481
Heiss, J. F.; Loper, Jr., C. R.; Miskinis, G. V.
The Use of Salt in Foundry Cores 545

Helbling, R. H.; Bonacci, D. G.; Rask, R. D.; Schroeder, T. A.; Loper, Jr., C. R.
Automated Pouring of Magnesium-Treated Ductile Iron 579
Hofmann, F.
Investigation on the Effect of Heat on the Bonding Properties of Various Bentonites 377
Hou, T. X.; Pehlke, R. D.
Determination of Thermal Diffusivity of Al-13% Si Alloy by Monitoring Solidification and Cooling 493
Hou, T. X.; Zhu, P. Y.; Liu, Q. Y.
Spheroidization of Eutectic Silicon in Al-Si Alloys 609
Hrusovsky, J. P.; Wallace, J. F.
Effect of Composition ön Solidification of Compacted Graphite Iron 55
Hughes, R. T.; Lepak, S.; Scholz, R.
Demonstration of Control Technology for Torch Cutting 373
Hui, D.; Jingxiang, Y.; Davis, K. G.
Thermal Effects During the Solidification of Cast Iron 917
Hui, D.; Davis, K. G.; Magny, J. G.
The Inoculation of Permanent Mold Cast Iron 939
Hurley, T. J.
Statistical Process Control for Aluminum Jobbing Foundries . . 283
Hurley, T. J.; Atkinson, R. G.
Effects of Modification Practice on Aluminum A-356 Alloys . . 291

I

Ilhan, A.; Aubrey, L. A.; Brockmeyer, J. W.; Wieser, P. F.; P. Dutta, I.
Cast Steel Quality Improvement by Filtration with Ceramic Foam Filters 177
Issac, J.; Reddy, G. P.; Sharma, G. K.
Experimental Investigation of the Influence of Casting Parameters on the Formation and Distribution of Air Gap During the Solidification of Castings in Metallic Molds 29
Isaac, J.; Reddy, G. P.; Sharma, G. K.
Numerical Simulation of Solidification of Castings in Metallic Molds 123
Iwabuchi, Y.; Sakurai, T.; Takenouchi, T.
Newly Developed Low Si Cr-Mo-V Cast Steel for Turbine Casting 229
Iwahori, H.; Yonekura, K.; Sugiyama, Y.; Yamamoto, Y.; Nakamura, M.
Behavior of Shrinkage Porosity Defects and Limiting Solid Fraction of Feeding on Al-Si Alloys 443

J

Jain, C. K.; Gaindhar, J. L.; Subbarathnamaiah, K.
Effect of Sand Variables on Dimensional Accuracy of Al-4% Cu Alloy Castings Produced by V-Process 303
Janowak, J. F.; Gundlach, R. B.
Improved Machinability of High Strength Gray Iron 961
Janowak, J. F.; Park, Y. J.; Gundlach R. B.; Thomas, R. G.
Thermal Fatigue Resistance of Gray and Compacted Graphite Irons 415
Janowak, J. F.; Voigt, R. C.; Bendaly, R.; Park, Y. J.
Development of Austempered High Silicon Cast Steels 453
Jenkins, L. R.; Wallace, J. F.; Du, P.; Su, H-Q; Warrick, R. J.
The Influence of Foundry Variables on Nodule Count in Ductile Iron 813
Jenkins, L. R.; Stefanescu, D. M.; Warrick, R. J.; Chen, G.; Martinez, F.
Influence of the Chemical Analysis of Alloys on the Nodule Count of Ductile Iron 835
Jingxiang, Y.; Hui, D.; Davis, K. G.
Thermal Effects During the Solidification of Cast Iron 917

K

Kang, C. S.; Kim, M. H.; Loper, Jr., C. R.
Experimental Analysis of Wave Fronts in Standard Casting Sections and in Finned Castings 463
Kang, C. S.; Ye, B. J.; Loper, Jr., C. R.; Lu, D. Y.
An Assessment of the Role of Rare Earth in the Eutectic Modification of Cast Aluminum — Silicon Alloys 533
Katz, S.; Landefeld, C. F.
A Kinetic Model for Carbon Pickup in the Cupola: A Step Beyond the Levi Equation 209
Katz, S.; Landefeld, C. F.
Plant Studies of Continuous Desulfurization with $CaO-CaF_2-C$ 215
Khadkikar, P. S.; Wieser, P. F.
Temper Embrittlement and Toughness of High Purity Cast 2-1/4 Cr-1 Mo Steel 323
Kim, M. H.; Loper, Jr., C. R.; Kang, C. S.
Experimental Analysis of Wave Fronts in Standard Casting Sections and in Finned Castings 463
Kinsey, J. S.; Wallace, D. D.; Cowherd, Jr., C.
Identification, Assessment and Control of Fugitive Particulate Emissions in Foundries 727
Kirkland, D.; Blackburn, R. D.; Goodrich, G. M.
High Quality Steel Castings vs. Ladle Lining Practice 187
Kitahara, A.; Nagata, S.; Akiyama, S.; Ueno, H.
Making Metal Composite by Pressure Casting 49
Klein, J. E.; Feroe, J. C.
A New Process for Ladle Desulfurization and Deoxidation of Steel 719
Kubo, K.; Pehlke, R. D.
Thermal Properties of Molding Sands 405
Kunes, T. P.; Turpin, P. D.; Stolzenburg, T. R.; Stephens, W. A.
Methods to Treat EP Toxic Foundry Wastes and Wastewaters 737

L

Lamberigts, M.; Walmag, G.; Coutsouradis, D.; Delneuville, P.; Meeus, M.
Friction and Ductility Behaviors of a High Strength Zinc Foundry Alloy 569
Landefeld, C F.; Katz, S.
A Kinetic Model for Carbon Pickup in the Cupola: A Step Beyond the Levi Equation 209
Landefeld, C. F.; Katz, S.
Plant Studies of Continuous Desulfurization with $CaO-CaF_2-C$ 215
Landefeld, C. F.
Thermal Power Losses to the Cupola Shell and Tuyeres 385
Leedom, C. P.; Heine, R. W.
Comparing the Functioning of Risers to Their Behavior Predicted by Computer Programs 481
Leidel, D. S.
Reclamation of Sodium Silicate Bonded Sand 429
Lepak, S.; Hughes, R. T.; Scholz, R.
Demonstration of Control Technology for Torch Cutting 889
Levy, S. A.
Evaluation of Molten Metal Quality for Aluminum Alloys 889

Lichter, J. C.; Van Note, K.; Miller, C. C.
Foundry Waste Stabilization Laboratory Testing and Conceptual Design 395
Liu, J.; Ding, N. X.; Mercer, J.; Wallace, J. F.
Effect of Type and Amount of Treatment Alloy on Compacted Graphite Produced by the Flotret Process 675
Liu, Q. Y.; Zhu, P. Y.; Hou, T.X.
Spheroidization of Eutectic Silicon in Al-Si Alloys 609
Liu, S. L.; Loper, Jr., C. R.; Shirvani, S.
Inoculation of Gray Cast Irons with Carbonaceous Materials 501
Loper, Jr., C. R.; Cornell, H. H.
Variables Involved in the Production of Compacted Graphite Cast Iron Using Rare Earth-Containing Alloys 435
Loper, Jr., C. R.; Kim, M. H.; Kang, C. S.
Experimental Analysis of Wave Fronts in Standard Casting Sections and in Finned Castings 463
Loper, Jr., C. R.; Liu, S. L.; Shirvani, S.
Inoculation of Gray Cast Irons with Carbonaceous Materials 501
Loper, Jr., C. R.; Udomon, U. H.
Comments Concerning the Interaction of Rare Earths with Subversive Elements in Cast Irons 519
Loper, Jr., C. R.; Pan, E. N.
A Study of the Production of Compacted Vermicular Graphite Cast Irons in Thin Sections 523
Loper, Jr., C. R.; Ye B. J.; Lu, D. Y.; Kang, C. S.
An Assessment of the Role of Rare Earth in the Eutectic Modification of Cast Aluminum-Silicon Alloys 533
Loper, Jr., C. R.; Miskinis, G. V.; Heiss, J. F.
The Use of Salt in Foundry Cores 545
Loper, Jr., C. R.; Bonacci, D. G.; Rask, R. D.; Schroeder, T. A.; Helbling, R. H.
Automated Pouring of Magnesium-Treated Ductile Iron 579
Lu, D. Y.; Ye, B. J.; Loper, Jr., C. R.; Kang, C. S.
An Assssment of the Role of Rare Earth in the Eutectic Modification of Cast Aluminum-Silicon Alloys 533
Lu, W. H.; Chao, C. G.; Mercer, J.; Wallace, J. F.
Effect of Treatment Alloys and Section Size on the Compacted Graphite Structures Produced by the In-the-Mold Process 651

M

Magny, J. G.; Davis, K. G.; Hui, D.
The Inoculation of Permament Mold Cast Iron 939
Mansfield, T. L.; Bradshaw, C. L.
Ultrasonic Inspection of Molten Aluminum 317
Martinez, F.; Stefanescu, D. M.; Warrick, R. J.; Jenkins, L. R.; Chen, G.
Influence of the Chemical Analysis of Alloys on the Nodule Count of Ductile Iron 835
Meeus, M.; Lamberigts, M.; Walmag, G.; Coustsouradis, D.; Delneuville, P.
Friction and Ductility Behaviors of a High Strength Zinc Foundry Alloy 569
Mercer, J.; Mulazimoglu, M. H.; Yang, Y. M.; Ding, N. X.; Wallace, J. F.
Solidification Studies of Spiking and Large-Small Nodule Formation in Ductile Cast Iron Produced by the In-the-Mold Process 627
Mercer, J.; Chao, C. G.; Lu, W. H.; Wallace, J. F.
Effect of Treatment Alloys and Section Size on the Compacted Graphite Structures Produced by the In-the-Mold Process 651
Mercer, J.; Liu, J.; Ding, N. X.; Wallace, J. F.
Effect of Type and Amount of Treatment Alloy on Compacted Graphite Produced by the Flotret Process 675
Meyers, C. W.
Solution Heat Treatment Effects in A357 Alloys 741
Miguelucci, E. W.
The Aluminum Association Cast Alloy Test Program: Interim Report 913
Miller, C. C.; Van Note, K.; Lichter, J. C.
Foundry Waste Stabilization Laboratory Testing and Conceptual Design 395
Mischutin, V.; Fleming, G.; Brown D.
Evaluation of Flame Retarded (FR) Fabrics and Protective Clothing for Foundry Workers 849
Miskinis, G. V.; Loper, Jr., C. R.; Heiss J. F.
The Use of Salt in Foundry Cores 545
Monroe, R. W.
Use of Iron Oxide in Mold and Core Mixes for Ferrous Castings 355
Moore, D. J.; Rouns, T. N.; Rundman, K. B.
On the Structure and Mechanical Properties of Austempered Ductile Iron 705
Moore, J. J.; Bodor, G. A. K.
Steel Deoxdidation Practice: Special Emphasis on Heavy Section Steel Castings 99
Moore, W. J.; Palmer, W. G.; Garner, F. M.; Mulligan, L. T.
Carcinogenic Potential of Foundry Pyrolysis Effluents 23
Morris, J. R; Sutton, W. H; Palmer, J. C.
Development of Ceramic Foam Materials for Filtering High Temperature Alloys 339
Morton, P. A.; Gundlach, R. B.; Dodd, J.
Factors Affecting Austenite Measurements White Cast Irons 879
Mulazimoglu, M. H.; Yang, Y. M.; Ding, N. X.; Wallace, J. F.; Mercer, J.
Solidification Studies of Spiking and Large-Small Nodule Formation in Ductile Cast Iron Produced by the In-the-Mold Process 627
Mulligan, L. T.; Moorman, W. J.; Palmer, W. G.; Garner, F. M.
Carcinogenic Potential of Foundry Pyrolysis Effluents 23
Murthy, V. S. R.; Harisprasad S.; Seshan S.
Structure and Property Studies of Permanent Molded Gray, Compacted, and Ductile Irons 561

N

Nagaoka, K.; Noguchi, T.
Three-Dimensional Distribution of Graphite Nodules in Spheroidal Graphite Cast Iron 115
Nagata, S.; Kitahara, A.; Akiyama, S.; Ueno, H.
Making Metal Composite by Pressure Casting 49
Nakamura, M.; Iwahori, H.; Yonekura, K.; Sugiyama, Y.; Yamamoto, Y.
Behavior of Shrinkage Porosity Defects and Limiting Solid Fraction of Feeding on Al-Si Alloys 443
Noguchi, T.; Nagaoka, K.
Three-Dimensional Distribution of Graphite Nodules in Spheroidal Graphite Cast Iron 115
Nowicki, R. M.; Yen, C. M.; Evans, W. J.; Cole, G. S.
Measuring the Quality of Aluminum Casting Alloys with Microprocessor-Aided Thermal Analysis 199
Nyamekye, K.; Draper, A. B.
Energy Model Predictions of Gas Composition and Temperature Profiles in a Cold Blast Cupola 615

O

O'Carroll, L. T.
Outlook for the Aluminum Castings Market 885

O'Shaughnessy, D.; Taylor C.
On-Line Parts Testing and Inspection Using
Computer-Aided Laser 351
Ostrom, T. R.; Winter, B.; Trojan, P. K.; Flinn, R. A.
Lead Transfer from Copper-Base Alloys into Sands 757

P

Pagalthivarthi, K. V.; Desai, P. V.; Berry, J. T.
The Thermal Performance of Gating Sprues
in Sand Casting Systems 751
Palmer, J. C.; Sutton, W. H.; Morris, J. R.
Development of Ceramic Foam Materials for
Filtering High Temperature Alloys 339
Palmer, W. G.; Moorman, W. J.; Garner, F. M.;
Mulligan, L. T.
Carcinogenic Potential of Foundry Pyrolysis Effluents 23
Pan, E. N.; Loper, Jr., C. R.
A Study of the Production of Compacted Vermicular
Graphite Cast Irons in Thin Sections 523
Park, Y. J.; Gundlach, R. B.; Thomas, R. G.; Janowak, J. F.
Thermal Fatigue Resistance of Gray and
Compacted Graphite Irons 415
Park, Y. J.; Voigt, R. C.; Bendaly, R.; Janowak, J. F.
Development of Austempered High Silicon
Cast Steels 453
Pathak, S. D.; Prasanna Kumar, T S.; Prabhakar, O.
Finite Element Formulations for Estimating
Feeding Efficiency Factors 789
Patz, M.
Lost Foam Process Update 901
Pehlke, R. D., Kubo, K.
Thermal Properties of Molding Sands 405
Pehlke, R. D.; Hou, T. X.
Determination of Thermal Diffusivity of Al-13% Si
Alloy by Monitoring Solidification and Cooling 493
Piercecchi, C. D.; Weiner, S. A.
Dimensional Behavior of Polystyrene Foam Shapes 155
Pirie, K.; Closset, B.; Gruzleski, J. E.
Relation Between Electrical Resistivity and Microstructure
of Heat Treated Al-Si-Mg Hypoeutectic Alloys 307
Plummer, R. W.; Stobbe, T. J.
Analysis of Injuries Which Occur in Foundries and
thc Appropriate Personal Protective Equipment 603
Prabhakar, O.; Prasanna Kumar, T. S.; Pathak, S. D.
Finite Element Formulations for Estimating
Feeding Efficiency Factors 789

R

Rajagopal, S.; Altergott, W. H.
Quality Control in Squeeze Casting of Aluminum 145
Rask, R. D.; Bonacci, D. G.; Schroeder, T. A.;
Helbling, R. H.; Loper, Jr., C. R.
Automated Pouring of Magnesium Treated Ductile Iron 29
Reddy, G. P.; Isaac, J.; Sharma, G. K.
Experimental Investigation of the Influence
of Casting Parameters on the Formation and
Distribution of Air Gap During the Solidification
of Castings in Metallic Molds 29
Reddy, G. P.; Isaac, J.; Sharma, G. K.
Numerical Simulation of Solidification of
Castings in Metallic Molds 123
Riposan, I.; Chisamera, M.; Sofroni, L.
Contribution to the Study of Some
Technological and Applicational Properties
of Compacted Graphite Cast Iron 35
Rooy, E. L.
Aluminum Scrap Recycling and Its Impact
on the Metal Castings Industry 935
Rouns, T. N.; Moore, D. J.; Rundman, K. B.
On the Structure and Mechanical Properties
of Austempered Ductile Iron 705
Roy, P. L.; Chakrabarti, A. K.; Banerjee, P.
The Effect of NaCl Addition on Solidification
and Graphitization in White Cast Iron 587
Rundman, K. B.; Moore, D. J.; Rouns, T. N.
On the Structure and Mechanical Properties of
Austempered Ductile Iron 705
Rundman, K. B.; Dubensky, W. J.
An Electron Microscope Study of Carbide
Formation in Austempered Ductile Iron 389

S

Sahoo, M; Barry, J. R.; Crawford, G.
Foundry Characteristics and Mechanical Properties
of a High-Damping Propeller Alloy 133
Sahoo, M.; Whiting, L. V.; White, D. W. G.
Control of Underside Shrinkage in Zinc-Aluminum
Foundry Alloys by the Addition of Trace Elements 475
Saigal, A.; Berry, J T.
Study of the Effects of Volume Fraction-Size and Shape
of Silicon Particles on Mechanical Properties in
Al-Si Alloys Using Finite Element Method 699
Sakurai, T.; Iwabuchi, Y.; Takenouchi, T.
Newly Developed Low Si Cr-Mo-V Cast Steel
for Turbine Casting 229
Schlieper, F.
An Adanced Real Time Radiography System
for Industrial Applications 787
Scholz, R.; Hughes, R. T.; Lepak, S.
Demonstration of Control Technology for
Torch Cutting 373
Schroeder, T. A.; Bonacci, D. G.; Rask, R. D.;
Helbling, R. H.; Loper, Jr., C. R.
Automated Pouring of Magnesium-Treated Iron 579
Seetharamu, S.; Srinivasan, M. N.
Estimation of Permissible Flaw Sizes in
Permanent Molded Ductile Iron Castings 347
Seshan, S.; Murthy, V. S. R.; Hariprasad, S.
Structure and Property Studies of Permanent
Molded Gray, Compacted, and Ductile Irons 561
Sharma, G. K.; Isaac, J.; Reddy, G. P.
Experimental Investigation of the Influence
of Casting Parameters on the Formation
and Distribution of Air Gap During the
Solidification of Castings in Metallic Molds 29
Shih, T. S.; Heine, R. W; Green, R. A.
Evaluation of Green Sand Properties and Clay
Behavior at 8-15% Benonite Levels: Part II 689
Shirvani, S.; Liu S. L.; Loper, Jr., C. R.
Inoculation of Gray Cast Irons with
Carbonaceous Materials 501
Sigworth, G. K.; Guzowski, M. M.
Grain Refining of Hypoeutectic Al-Si Alloys 907
Sindermann, H.
Green Sand Compaction by Air Impulse
Molding: Theory and Practical Experience
Smith, R.; Fuqua, J. M
Practical Applications of the Free
Radical Curing Cold Box Binder System 269
Sofroni, L; Riposan, I.; Chisamera, M.
Contribution to the Study of Some
Technological and Applicational Properties
of Compacted Graphite Cast Iron 35

Srinivasan, M. N.; Seetharamu, S.
Estimation of Permissible Flaw Sizes in Permanent Molded Ductile Iron Castings 347
Srinivasan, N. K.
Calculation of Yield: A System Model 11
Stamper, J. M.
The Filtration of Steel Catings with Ceramic Foam Filters 867
Stefanescu, D.. M.; Warrick, R. J.; Jenkins, L. R.; Chen, G.; Martinez, F.
Influence of the Chemical Analysis of Alloys on the Nodule Count of Ductile Iron 835
Stephens, W. A.; Turpin, P. D.; Stolzenburg, T. R.; Kunes, T. P.
Methods to Treat EP Toxic Foundry Wastes and Wastewaters 737
Stevenson, M.; Frazier, P.
The Ester Cured Phenolic No-Bake System 423
Stobbe, T. J., Plummer, R. W.
Analysis of Injuries Which Occur in Foundries and the Appropriate Personal Protective Equipment 603
Stolzenburg, T. R.; Turpin, P. D.; Stephens, W. A.; Kunes, T. P.
Methods to Treat EP Toxic Foundry Wastes and Wastewaters 737
Stone, T.; Day, P.
Cellular Ceramic Steel Foundry Filter Development 87
Su, H-Q; Wallace, J. F.; Du, P.; Warrick, R. J.; Jenkins, L. R.
The Influence of Foundry Variables on Nodule Count in Ductile Iron 813
Subbarathnamaiah, K.; Gaindhar, J. L.; Jain, C. K.
Effect of Sand Variables on Dimensional Accuracy of Al-4% Cu Alloy Castings Produced by V-Process 303
Subramanyam, D. K.
Retained Austenite Measurements in High Chromium White Iron 763
Sugiyama, Y.; Iwahori, H.; Yonekura, K.; Yamamoto, Y.; Nakamaura, M.
Behavior of Shrinkage Porosity Defects and Limiting Solid Fraction of Feeding on Al-Si Alloys 443
Sutton, W. H.; Palmer, J. C.; Morris, J. R.
Development of Ceramic Foam Materials for Filtering High Temperature Alloys 339

T

Takenouchi, T.; Iwabuchi, Y.; Sakurai, T.
Newly Developed Low Si Cr-Mo-V Cast Steel for Turbine Casting 229
Taylor, C.; O'Shaughnessy, D.
On-Line Parts Testing and Inspection Using Computer-Aided Laser 351
Thomas, R. G.; Park, Y. J.; Gundlach, R. B.; Janowak, J. F.
Thermal Fatigue Resistance of Gray and Conmpacted Graphite Irons 415
Tolhurst, G. A.
Computer Applications for the Statistical Process Control of Foundry Sand Binders 297
Trojan, P. K.; Winter, B.; Ostrom, T. R.; Flinn, R. A.
Lead Transfer from Copper-Base Alloys into Sands 757
Turpin, P. D.; Stolzenburg, T. R.; Stephens, W. A. Kunes, T. P.
Methods to Treat EP Toxic Foundry Wastes and Wastewaters 737

U

Udomon, U. H.; Loper, Jr., C. R.
Comments Concerning the Interaction of Rare Earths with Subversive Elements in Cast Irons 519
Ueno, H.; Nagata, S.; Kitashara, A.; Akiyama, S.
Making Metal Composite by Pressure Casting 49

V

Van Note, K.; Miller, C. C.; Lichter, J. C.
Foundry Waste Stabilization Laboratory Testing and Conceptual Design 395
Vandenbos, S. A.
Tellurium Core Wash and Its Use in Solving Internal Shrinkage Defects 871
Voigt, R. C.; Eldoky, L.
Fracture of Ferritic Ductile Cast Iron 365
Voigt, R. C.; Bendaly, R.; Janowak, J. F.; Park, Y. J.
Development of Austempered High Silicon Cast Steels 453

W

Wallace, D. D.; Cowherd, Jr., C.; Kinsey, J. S
Identification, Assessment, and Control of Fugitive Particulate Emissions in Foundries 727
Wallace, J. F.; Hrusovsky, J. P.
Effect of Composition on Solidification of Compacted Graphite Iron 55
Wallace, J. F.; Mulazimoglu, M. H.; Yang, Y. M. Ding, N. X.; Mercer, J.
Solidification Studies of Spiking and Large-Small Nodule Cast Iron Produced by the In-the-Mold Process 627
Wallace, J. F.; Chao, C. G.; Lu, W. H.; Mercer, J.
Effect of Treatment Alloys and Section Size on the Compacted Graphite Structures Produced by the In-the-Mold Process 651
Wallace, J. F.; Liu, J.; Ding, N. X.; Mercer, J.
Effect of Type and Amount of Treatment Alloy on Compacted Graphite Produced by the Flotret Process 675
Walmag, G.; Lamberigts, M.; Coutsouradis, D.; Delneuville, P.; Meeus, M.
Friction and Ductility Behaviors of a High Strength Zinc Foundry Alloy 569
Warrick, R. J.; Wallace, J. F.; Du, P.; Su, H-Q; Jenkins, L. R.
The Influence of Foundry Variables on Nodule Count in Ductile Iron 813
Warrick, R. J.; Stefanescu, D. M.; Jenkins, L. R.; Chen, G.; Martinez, F.
Influence of the Chemical Analysis of Alloys on the Nodule Count of Ductile Iron 835
Weiner, S. A.; Piercecchi, C. D.
Dimensional Behavior of Polystyrene Foam Shapes 155
White, D. W. G.; Sahoo, M.; Whiting, L. V.
Control of Underside Shrinkage in Zinc-Aluminum Foundry Alloys by the Addition of Trace Elements 475
Whiting, L. V.; Sahoo, M.; White, D. W. G.
Control of Underside Shrinkage in Zinc-Aluminum Foundry Alloys by the Addition of Trace Elements 475
Wieser, P. F.; Aubrey, L. A.; Brockmeyer, J. W.
Dross Removal from Ductile Iron with Ceramic Foam Filters 171
Wieser, P. F.; Aubrey, L. A.; Brockmeyer, J. W.; Dutta, I.; Ilhan, A.
Cast Steel Quality Improvement by Filtration with Ceramic Foam Filters 177

Wieser, P. F.; Khadkikar, P. S.
Temper Embrittlement and Toughness of High Purity Cast 2-1/4 Cr-1 Mo Steel 323
Wiggins, C. J.; Andrews, J. B.
Multiple Regression Analysis of the Influence of Composition on the Corrosion and Mechanical Properties of Low Chromium Stainless Steels 247
Willms, R. C.
Use of Insulating Material to Extend Feeding Distances for Steel Castings 167
Wilson, F. G.; Eason, M. D.
The Assessment of Organic Binders for Resin Bonded Foundry Sands for Heavy Steel Castings 1
Winter, B.; Ostrom, T. R.; Trojan, P. K.; Flinn, R. A.
Lead Transfer from Copper-Base Alloys into Sands 757
Wojkylak, Jr., E. J.; Doehler, S.
The Foundry Production of High Quality Steel Castings with the MRP Bottom Blown Converter 193
Wright, R. N.; Farrell, T. R.
Elevated Temperature Brittleness of Ferritic Ductile Iron 853

Y

Yamamoto, Y.; Iwahori, H.; Yonekura, K.; Sugiyama, Y.; Nakamura, M.
Behavior of Shrinkage Porosity Defects and Limiting Solid Fraction of Feeding on Al-Si Alloys 443
Yang, Y. M.; Mulazimoglu, M. H.; Ding, N. X.; Wallace, J. F.; Mercer, J.
Solidification Studies of Spiking and Large-Small Nodule Formation in Ductile Cast Iron Produced by the In-the-Mold Process 627
Ye, B. J.; Loper, Jr., C. R.; Lu, D. Y.; Kang, C. S.
An Assessment of the Role of Rare Earth in the Eutectic Modification of Cast Aluminum-Silicon Alloys 533
Yen, C. M.; Evans, W. J.; Nowicki, R., M.; Cole, G. S.
Measuring the Quality of Aluminum Casting Alloys with Microprocessor-Aided Thermal Analysis 199
Yonekura, K.; Iwahori, H.; Sugiyama, Y.;

Z

Zeng, X. C.; Pehlke, R. D.
Analysis of Heat Transfer at Metal-Sand Mold Boundaries and Computer Simulation of Solidification of a Gray Iron Casting 275
Zhu, P. Y.; Liu, Q. Y.; Hou, T. X.
Sphcroidization of Eutectic Silicon in Al-Si Alloys 609

Subject Index

A

Acoustic emission during Al solidification 13
Air impulse molding of green sand 241
Air pollution costing and control 727
Aluminum alloys
  Acoustic emission during solidification 13
  Degassing methods evaluation, esp SNIF 953
  Feeding efficiency factors estimated using finite element method 789
  Molten metal quality control tests 953
  Molten metal tests for hydrogen and inclusions 889
  Pore formation detected from acoustic emissions 13
Aluminum casting
  Design guidance 913
  Numerical simulation of solidification 123
Aluminum castings
  Market outlook 885
  Mechanical property variations in test castings 913
  Surface treatment for corrosion resistance 769
  Ultrasonic inspection 317
Aluminum scrap chemistry, esp Mn effects 935
Aluminum-copper alloys; Dimensional accuracy of V-process castings 303
Aluminum-silicon alloys
  Grain refinement using Al-Ti-B mixture 907
  Microstructure-mechanical property study using finite element method 699
  Rare earth role in eutectic modification 533
  Shrinkage porosity relationship to feeding 443
  Spheroidization of eutectic silicon 609
  Thermal analysis used to predict Al-Si structures 199
  Thermal diffusivity of Al-13Si 493
Aluminum-silicon-magnesium alloys
  Relation between electrical resistivity and heat treated microstructure 307
  Sodium vs. strontium modification in A-357 291
  Solution heat treatment in A357 741
Aluminum; squeeze casting 145
Argon stirring in steel foundry ladles 163
Austenite measurements in high Cr iron using magnetic instruments 879
Austenite measurements in high chromium white iron 763
Automated pouring of ductile iron 579

B

Bentonite bonded sand;
  Extended study 8–15% levels vs. properties 689
  Heat effect on binding properties 377
Bismuth effect in cast irons counteracted by rare earths 519
Brittleness of ferritic ductile iron at elevated temperatures 853

C

Carbide formation; Austempered ductile iron 389
Carbon pickup model 209
Carbonaceous inoculants for gray iron 501
Carcinogenic potential of mold emissions 23
Cast iron
  Differential thermal analysis study 917
  Molybdenum effect on thermal fatigue resistance 415
  Permanent mold casting 561
Cast irons; Rare earth interaction with subversive elements (esp. bismuth) 519
Cement and lime treatment to stabilize foundry wastes 395
Cleaning and finishing; Exhaust ventilation of torch cutting operation 373
Cold box; Free radical curing binder 269
Compacted graphite cast iron
  Composition effect on microstructure 55
  Lanthanide-magnesium treatment alloy 435
  Permanent mold casting 561
  Process control 435
  Properties in use 35
  Section size and treatment alloy effects on in-the-mold iron 651
  Thermal fatigue resistance 415
  Thin section production 523
  Treatment alloy effects on Flotret processed iron 675
Composites made by pressure sand casting 49
Computer applications
  Statistical process control of sand binder production 297
  Database of thermal properties of molding sands 405
  Foundry tooling 895
  Microprocessor-assisted thermal analysis 199
  Radiography 787
  Simulation of heat transfer and solidification in gray iron 275
Computer programs compared with riser design and functioning 481
Computer-aided lasers for parts testing and inspection 351
Copper alloys; Iron effect on leachable lead in waste sands 757
Core wash with tellurium prevents shrinkage 871
Coremaking; Water soluble resin bonded salt-sand mixtures 545
Corrosion resistance improved by surface treatment of Al castings 769
Corrosion resistance of CG iron 35
Cost and production models for metal cutting 183
Cost study; Air pollution control 727
Cupola
  Carbon pickup model 209
  Model of cold blast temperature and gas composition distributions 615
  Thermal power loss to the shell and tuyeres 385

D

Defects; Flaw size estimation in permanent molded ductile iron 347
Degassing Al with SNIF treatment 953
Deoxidation and desulfurization of steel in the ladle 719
Deoxidation practice for steel, especially heavy section castings 99
Desulfurization and deoxidation of steel in the ladle 719
Desulfurization, continuous; CaO study 215
Differential thermal analysis of cast irons 917
Dimensional accuracy; Sand variables effect on Al_4Cu V-process castings 303
Dross removal from ductile iron using ceramic foam filters 171

Ductile iron
Austempered, manganese and silicon effects . . . 801
Austempered, TEM study of carbide formation . . . 389
Austempered, structure and mechanical properties . . . 705
Automated pouring . . . 579
Ceramic foam filters remove dross . . . 171
Desulfurization study of CaO desulfurizers vs. CaC_2 . . . 215
Dross removal with ceramic foam filters . . . 171
Estimation of flaw sizes in permanent molded iron . . . 347
Ferritic, elevated temperature brittleness . . . 853
Ferritic, fracture mechanisms . . . 365
In-the-mold treated iron solidification studies . . . 627
Inoculation of permanent mold iron . . . 939
Nodule count study . . . 813
Nodule distribution in three dimensions . . . 115
Spiking and nodule size of in-the-mold treated iron . . . 627
Treatment alloy chemistry influences nodule count . . . 835
Ductility of high strength zinc-aluminum alloy . . . 569
Dust and sludge toxicity reduced by stabilization treatment . . . 395

E

Electrical resistivity; Relation to heat treated microstructure of Al-Si-Mg . . . 307
Elevated temperature brittleness of ferritic ductile iron . . . 853
Emissions
Control of torch cutting by exhaust ventilation system . . . 373
Mold effluents tested for carcinogenic potential . . . 23
Particulate identification, assessment and control . . . 727
Energy loss to cupola shell and tuyeres . . . 385
Evaporative casting process; Polystyrene foam shrinkage . . . 155
Evaporative pattern casting . . . 901

F

Fabrics evaluated for use in flame retardant clothing . . . 849
Feeding efficiency factors analysis for aluminum . . . 789
Feeding technique prevents Al-Si shrinkage porosity . . . 443
Filters, ceramic
Evaluation for use in steel foundries . . . 87
Evaluation for use with superalloys . . . 339
Reduce oxide inclusions in steel castings . . . 177
Steel filtration techniques . . . 867
Used for ductile iron dross removal . . . 171
Finite element method
For estimating Al feeding efficiency factors . . . 789
Used in Al-Si microstructure-mechanical property study . . . 699
Used in analysis of heat transfer in gating sprues . . . 751
Flame retardant clothing evaluations . . . 849
Flotret process produces CG iron . . . 675
Fracture mechanics for estimation of flaw sizes in permanent molded ductile iron . . . 347
Fracture of ferritic ductile iron . . . 365
Friction properties of high strength zinc-aluminum alloy . . . 569

G

Gating; Heat transfer analysis . . . 751
Grain refinement of Al-Si alloys using Al-Ti-B refiner . . . 907
Graphitic inoculants for gray iron . . . 501
Gray iron
Controlling carbides in alloyed iron . . . 961
Heat transfer and solidification simulation . . . 275
Inoculation of permanent mold iron . . . 939
Inoculation with carbonaceous materials . . . 501
Machinability of high strength alloyed iron . . . 961
Thermal fatigue resistance . . . 415
Tramp elements removed using polyvinylchloride . . . 257
Green sand
Compaction by air impulse molding . . . 241
Properties at 8–15% bentonite levels . . . 689

H

Hazardous wastes
Stabilization treatment . . . 395
Treatment with chemicals . . . 737
Health; Carcinogenic potential of mold emissions . . . 23
Heat effects on the bonding of bentonites . . . 377
Heat transfer at metal-sand mold boundary simulated . . . 275
Heat transfer; Gating sprues in sand casting systems . . . 751
Heat treating; Annelability in white iron promoted by NaCl . . . 587
Heat treatment
Austempered high carbon high silicon steel . . . 453
Changes in Al-Si-Mg microstructures related to electrical resistivity . . . 307
Solution, mechanism and model for A357 . . . 741
Heavy metals in foundry wastes reduced by stabilization treatment . . . 395
Hydrogen testing in molten Al . . . 889

I

In-the-mold ductile iron solidification studies . . . 627
In-the-mold process; Section size and treatment alloy effects on CG iron . . . 651
Inclusions determination in molten Al . . . 889
Inclusions, slag; Related to steel casting ladle lining . . . 187
Injuries analysis and personal protective equipment recommendations . . . 603
Inoculation of permanent mold iron . . . 939
Inoculation; Carbonaceous additives in gray iron . . . 501
Inspection of parts using computer-aided laser . . . 351
Investment casting; Tooling . . . 903
Iron oxide; Effect on sand properties and on casting surface finish . . . 355

L

Ladle desulfurization and deoxidation of steel . . . 719
Ladle lining practices vs. slag inclusions in steel castings . . . 187
Ladle metallurgy relationship to slag-free melt . . . 779
Lasers; Use in testing and inspection of parts . . . 351
Leachates control with chemical treatments of waste . . . 737
Lead; Leachates in waste sand vs. iron additions . . . 757
Lost foam process update . . . 901

M

MRP (Metal Refining Process) converter improves steel casting quality . . . 193
Machinability of CG iron . . . 35
Machinability of high strength alloyed gray iron . . . 961
Management; Technology transfer . . . 205
Manganese influence in austempered ductile iron . . . 801
Manganese propeller alloy; Foundry characteristics and mechanical properties . . . 133
Manipulator-controlled torch cutter ventilation system . . . 373
Market outlook for aluminum castings . . . 885
Metal cutting cost and production models . . . 183
Mold emissions tested for carcinogenicity . . . 23
Mold-metal interface; Heat transfer analysis . . . 275

Molybdenum effect on thermal fatigue resistance of gray and CG iron . . . 415
Mottle control in white iron using NaCl . . . 587

N

No-bake ester cured phenolic binder system . . . 423
Nodule count influenced by ductile iron treatment alloy chemistry . . . 835
Nodule count variables in ductile iron . . . 813
Nodule distribution in three dimensions for ductile iron . . . 115

P

Paint improves corrosion resistance of aluminum alloys . . . 769
Particulate emissions identification, assessment and control . . . 727
Patternmaking
  Combining CAD/CAM and HMP . . . 895
  Polyurethane patterns . . . 895
Permanent mold casting
  Air gap measurements . . . 29
  Casting design . . . 913
  Ductile iron flaw sizes estimation using fracture mechanics . . . 347
  Gray, ductile and CG irons . . . 561
  Inoculation effects in cast iron . . . 939
  Numerical simulation of Al solidification . . . 123
Personal protective equipment recommendations . . . 603
Phenolic no-bake ester cured binder system . . . 423
Polystyrene foam shapes; Dimensional behavior . . . 155
Polyvinylchloride removes selected tramp elements from gray iron . . . 257
Porous plug used for argon stirring of steel . . . 163
Pouring, automated; Ductile iron . . . 579
Pressure casting of composites . . . 49
Pressure tightness of CG iron . . . 35
Propeller alloy properties . . . 133

Q-R

Quality control of molten Al alloys . . . 889
Radiography, real time system applications . . . 787
Rare earth; Role in eutectic modification of Al-Si alloys . . . 533
Rare earths; Interaction with subversive elements in cast irons . . . 519
Rare earth-magnesium treatment in CG production . . . 435
Recycling aluminum scrap . . . 935
Resin bonded water soluble salt-sand cores . . . 545
Riser computer programs compared to riser behavior . . . 481
Risering; Insulating materials extend feeding distances in steel castings . . . 167

S

Safety
  Injury analysis and personal protective equipment recommendations . . . 603
  Protective clothing evaluations . . . 849
Salt in foundry cores . . . 545
Sand additives; Iron oxide study . . . 355
Sand binders
  Cold set furan binders evaluated for steel casting . . . 1
  FRC (Free Radical Cure) process . . . 269
  Statistical process control applied to binder production . . . 297
Sand casting composites under pressure . . . 49
Sand molding
  Air impulse compaction . . . 241
  Heat effect on the bonding of bentonites . . . 377
Sand properties
  Related to bentonite levels . . . 689
  Thermal property database . . . 405
Sand reclamation; Sodium silicate bonded sand . . . 429
Sand testing; Reducing variability of tensile measurement . . . 723
Sand variables effect on V-process Al castings . . . 303
Scrap; Manganese effects in recycled Al . . . 935
Shrinkage control on Zn-27Al by trace element additions . . . 475
Shrinkage porosity of Al-Si alloys related to limiting solid fraction of feeding . . . 443
Shrinkage
  Prevention using tellurium core wash . . . 871
  Polystyrene foam shapes . . . 155
Silicon influence in austempered ductile iron . . . 801
Slag elimination benefits ladle metallurgy . . . 779
Sodium chloride treatment for white iron mottle control and rapid annealing . . . 587
Sodium silicate sand; Sand reclamation . . . 429
Sodium vs. strontium modification in aluminum A-356 . . . 291
Solidification
  Air gap measurements in permanent mold casting . . . 29
  Fin effect . . . 463
  Numerical simulation . . . 123
  Simulated for gray iron castings . . . 275
  Wave front analysis . . . 463
Spheroidization of eutectic silicon in Al-Si alloys . . . 609
Squeeze casting of aluminum . . . 145
Statistical analysis used in optimization of low-chromium stainless steels . . . 247
Statistical process control
  Applied to production of sand binders . . . 297
  Useful in Al jobbing foundries . . . 283
Steel
  2¼Cr-1Mo alloy temper embrittlement and toughness . . . 323
  Argon injection using porous plug . . . 163
  Austempered high silicon alloy development . . . 453
  Ceramic filter effectiveness . . . 87
  Ceramic foam filters improve quality . . . 177
  Deoxidation practice . . . 99
  Filtration with ceramic foam . . . 867
  Heavy section casting, deoxidation practice . . . 99
  Ladle deoxidation and desulfurization . . . 719
  Ladle lining practice vs. slag inclusions . . . 187
  Low Si Cr-Mo-V alloy for turbine casting . . . 229
  MRP bottom blown converter for refining molten steel . . . 193
  Resin bonded sands evaluation for heavy casting production . . . 1
  Riser feeding distances extended by use of insulating material . . . 167
Stainless, low-chromium alloy optimization using statistical analysis . . . 247
Strontium vs. sodium modification in aluminum A-356 . . . 291
Superalloys; Oxides removed with ceramic foam filters . . . 339

T

Technology transfer . . . 205
Tellurium core wash solves internal shrinkage problems . . . 871
Temper embrittlement of 2¼Cr-1Mo steel . . . 323
Tensile sand test variability reduced . . . 723
Test bar mechanical properties vs. Al standard test castings . . . 913
Testing and inspection of parts using computer-aided laser . . . 351

Testing for quality Al melts 953
Thermal analysis; Used to predict cast structure of Al-Si alloys 199
Thermal diffusivity of $Al_{13}Si$ alloy 493
Thermal effects during solidification of cast irons 917
Thermal fatigue resistance of gray and CG irons 415
Thermal properties of molding sands 405
Thermal shock resistance of CG iron 35
Thermal transport model for sand molds 405
Thin section CG cast iron production 523
Tooling for investment casting 903
Torch cutter exhaust ventilation system 373
Toughness of 2¼Cr-1Mo steel 323
Tramp elements removed from gray iron using polyvinylchloride 257

U-V

Ultrasonic inspection of molten aluminum 317
V-process; Dimensional accuracy of Al_4Cu castings 303
Veining tendency reduced by iron oxide additions to molding and core sand 355
Ventilation exhaust system for torch cutting operation 373

W

Waste sand; Study of iron additive effect on leachable lead 757
Waste stabilization treatment system 395
Wastes and wastewater treatment with chemicals 737
Wear resistance of CG iron 35
White iron
Austenite measurements in high chromium alloy 763
Magnetic nondestructive testing of retained austenite 879
NaCl effect on mottling and annealability 587

Y-Z

Yield, definition and calculations 11
Zinc-aluminum alloys
Friction properties and ductility of ZA-27 569
Microstructure property improvements in ZA-27 591
Underside shrinkage control 475